

Item 14 (p) I 49.89:82/47-1/map C12

PERRY, FLORIDA

30 X 60 MINUTE SERIES (TOPOGRAPHIC)



MAP C12

MMS 85-0011
FWS/OBS-82/47.1

Perry

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS



NORTHERN HIGHLANDS
MADISON CO
TAYLOR CO
JEFFERSON CO
DANE CO
DODGE CO
WASHINGTON CO
WAUKESHA CO
RACINE CO
KENOSHA CO
WALWORTH CO
ROCK CO
GREEN CO
LAFAYETTE CO
GRANT CO
IOWA CO
SAUK CO
COLUMBIA CO
DODGEVILLE
MADISON
JANESVILLE
BELOIT
MILWAUKEE
RACINE
KENOSHA
WAUKESHA
WEST BEND
FOND DU LAC
OSHKOSH
APPLETON
GREEN BAY
WAUSAU
STEVENS POINT
WISCONSIN RAPIDS
MARSHFIELD
EAU CLAIRE
LA CROSSE
PRAIRIE DU CHIEN
WISCONSIN DELLS
PORTAGE
BARABOO
MINERAL POINT
PLATTEVILLE
DARLINGTON
MONROE
ILLINOIS
IOWA
MICHIGAN
LAKE MICHIGAN
Wisconsin River
Mississippi River
Rock River
Fox River
Yahara River
Baraboo River
Black River
Chippewa River
Wisconsin Dells
Devils Lake
Lake Winnebago
Lake Geneva
Lake Koshkonong
Lake Mendota
Lake Monona
Lake Wingra
Lake Kegonsa
Lake Waubesa
Lake Delton
Lake Wisconsin
Lake Petenwell
Lake Dubay
Lake Nepco
Lake Du Bay
Lake Arbutus
Lake Wazeecha
Lake Du Bay
Lake Nepco

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17, Universal Transverse Mercator
20,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1983 from latest available data obtained from Federal, State and Local government agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Gravel Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Coastal Swamps
Marianna Lowlands	Brooksville Ridge
New Hope Ridge	Western Valley
Greenhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eustis-Lakewood Association
2. Lakeland-Blanton-Orangeburg Association
3. Carrington and Cantuck Associations
4. Red Bay-Blakely Association
5. Tifton-Carrington-Faceville Association
6. Norfolk-Ruston-Savannah Association
7. Red Bay-Dothan-Orangeburg Association
8. Klej-Leon Association
9. Hurricane Kalmia-Izagora Association
10. Coastal Dune Land and Beach-Tidal Marsh Association
11. Plummer-Portsage-Alluvial Land-Fresh Water Swamp-Tidal Marsh Association
12. Lakeland-Fuquay-Arredondo-St. Lucie-Kenton Association
13. Lakeland-Troup Association
14. Troup-Orangeburg Association
15. Dothan-Orangeburg Association
16. Red Bay-Luverne Association


COASTAL
LOWLANDS
COASTAL SWAMPS
GULF OF MEXICO
Apalachee Bay
Ochlockonee River
Tallahassee
Leon Co.
Wakulla Co.
Jefferson Co.
Taylor Co.
Lafayette Co.
Suwannee River
Aucilla River
St. Marks River
Wacissa River
Econfina River
Fenholloway River
Steinhatchee River
Withlacoochee River
Gulf Hammock
Big Bend
Aucilla Wildlife Management Area
Tide Water
Perry
Monticello
Madison
Greenville
Live Oak
Lake City
Jasper
Chiefland
Old Town
Cross City
Steinhatchee
Shady Grove
Salem
Lamont
Capps
Wacissa
Newport
Sprague
Nutall Rise
Woodville
Crawfordville
Sopchoppy
Panacea
Medart
Arran
Wakulla
Shell Point
Spring Creek
Alligator Point
Carrabelle
Lanark Village
St. George Island
Eastpoint
Apalachicola
Bristol
Blountstown
Sumatra
Telogia
Greensboro
Quincy
Havana
Midway
Tallahassee
Lake Jackson
Lake Iamonia
Lake Miccosukee
Lake Munson
Lake Hall
Lake Ella
Lake Bradford
Lake Lafayette
Lake Jackson
Lake Talquin
Lake Ocklawaha
Lake Crescent
Lake Rosalie
Lake Orange
Lake Alfred
Lake Hamilton
Lake Eloise
Lake Howard
Lake Fannie
Lake Buckeye
Lake Shipp
Lake Mirror
Lake Lena
Lake Parker
Lake Gibson
Lake Hunter
Lake Bonny
Lake Crago
Lake Wales
Lake Kissimmee
Lake Tiger
Lake Rosalie
Lake Orange
Lake Alfred
Lake Hamilton
Lake Eloise
Lake Howard
Lake Fannie
Lake Buckeye
Lake Shipp
Lake Mirror
Lake Lena
Lake Parker
Lake Gibson
Lake Hunter
Lake Bonny
Lake Crago
Lake Wales
Lake Kissimmee
Lake Tiger
Lake Rosalie
Lake Orange
Lake Alfred
Lake Hamilton
Lake Eloise
Lake Howard
Lake Fannie
Lake Buckeye
Lake Shipp
Lake Mirror
Lake Lena
Lake Parker
Lake Gibson
Lake Hunter
Lake Bonny
Lake Crago
Lake Wales
Lake Kissimmee
Lake Tiger

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE, DIVISION OF BIOLOGICAL SERVICES, NATIONAL COASTAL ECOSYSTEMS TEAM (FWS / OBS - 92 / 47) AND THE MINERALS MANAGEMENT SERVICE FOR COASTAL AREAS OF FLORIDA. THE PURPOSE OF THE ATLAS IS TO PROVIDE MAPS THAT EVALUATE CHANGES AND TO RESOLVE OR COMPLETE MAJOR LAND USES, FISH AND WILDLIFE REQUIREMENTS, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY AND STABILITY IN COASTAL AREAS. THE ATLAS COVERS THE COASTAL AREAS OF OKALOOSA, WALTON, WASHINGTON, BAY, CALHOUN, GULF, FRANKLIN, WAKULLA, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS OFFSHORE TO THE 3 MILE LIMIT OF STATE JURISDICTION. THE INFORMATION ON PRODUCTS OF THIS STUDY, TO DEFINE THE LIMITS OF PROPRIETARY INTERESTS, AND TO ASSIST IN THE DEVELOPMENT OF REQUIREMENT TO ESTABLISH THE GEOGRAPHICAL SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCES MATERIALS WHICH MAY CONTAIN ERRORS. THE MAP IS INTENDED TO BE USED FOR GENERAL CONCEPTUAL (SCHEMATIC) LOCATIONS OF RESOURCES AND OTHER MAPPED FEATURES. THE USER SHOULD NOT RELY ON THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Physiographic Map of Florida, State Bureau of Geology, 1990

SOILS: General Soils Atlas of Florida, Division of State Planning, 1975; Soil Conservation Service, U.S. Department of Agriculture, 1982

ACTIVE DUNES: Black and White Aerial Photographs, 1:80,000 Scale, Mark Hurd Aerial Surveys Inc., 1990; Color Infrared, 1:80,000 Scale, U.S. Geological Survey, various dates

GEOLOGIC FAULTS: Map of Escambia and Santa Rosa Counties Showing Outcrops on the of the Lower Limestone of the Florida Aquifer, State Bureau of Geology, 1985

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

12. Pomona-Ruskin-Alluvial Land Fresh Water Swamp-St. Lucie-Pamlico Association: Nearly level, poorly drained soils with a thick surface layer overlying a loamy subsoil and very poorly drained soils that are sandy throughout.
18. Salt Water Marsh-Bayo-Dingo Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters.
19. Fuquay-Lucy-Troup Association: Nearly level to sloping, well drained soils with sandy layers over loamy subsoil.
23. Astatula-Lartash-Orsino Association: Nearly level to gently sloping, somewhat poorly drained and moderately well drained sandy soils with loamy subsoil.
38. Leon-Albany-Plummer-Chipley-Osier Association: Nearly level, poorly drained sandy soils with weakly cemented sandy subsoil, and poorly drained soils with very thick sandy layers over loamy subsoil.
42. Duplin-Albany-Blanton Association: Nearly level to gently sloping, moderately well drained soils that are sandy throughout and somewhat poorly drained and very poorly drained soils with loamy subsoil
43. Leon-Felda-Wantoon Association: Nearly level, poorly drained sandy soils with weakly cemented sandy subsoil, poorly drained sandy soils with loamy subsoil, and somewhat poorly drained sandy soils with clayey subsoils in cities proximity to limestone rock.
44. Dothan-Orangeburg-Red Bay Association: Nearly level to sloping well drained sandy or loamy soils with loamy subsoil.
45. Alpin-Blanton-Eustis Association: Nearly level to sloping, excessively drained soils with very thick sandy but to over thin loams sand or sandy loam lamella, and moderately well drained soils with very thick sandy layers over loamy subsoils, and somewhat excessively drained soils sandy throughout.
46. Orangeburg-Ivey-Dothan Association: Nearly level to sloping, well drained sandy soils with loamy subsoils.
47. Chipley-Albany-Plummer Association: Nearly level to sloping, moderately well drained soils, sandy throughout, and somewhat poorly and poorly drained soils with very thick sandy layers over loamy subsoil.
48. Leon-Wesconia-Rutlege Association: Nearly level, poorly drained sandy soils with weakly cemented sandy subsoil, and poorly drained sandy soils with a weakly cemented sandy subsoil layer underlain by loamy subsoil, and very poorly drained soils sandy throughout.
49. Broward, var. Manteon-Dale Association: Nearly level, poorly drained and very poorly drained sandy soils in limestone and somewhat poorly drained and very poorly drained soil subsoils, shallow to limestone and poorly drained soils sandy throughout.
51. Fresh Water Swamp, Shallow to Limestone Association: Nearly level, very poorly drained soils, shallow to limestone, subject to prolonged flooding.
52. Salt Water Marsh and Swamp-Coastal Dunes Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters, and somewhat excessively drained sandy soils.

E = ___ ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

A = ___ ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D — NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

U / D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

STUDY AREA BOUNDARY

Others

Inland (County)

Inland (State)

PERRY, FLORIDA
N3000–W8300/30 X 60
1979

55. Adamsville, var. Chiefland Blanton Association
56. Candler-Apopka Association
57. Jonesville-Chiefland-Archer Association
58. Fernandina-Albany-Leon Association
59. Fernando-Archer-Chiefland Association
60. Sparr-Lochloosa-Tavares Association
61. Adamsville-Osier Association
62. Bushnell-Wabasso-Felda Association
63. Lochloosa-Kendrick-Millhopper Association
64. Leon-Wesconia-Surrency Association
65. Lynne-Pomona-Pompano Association
66. Candler-Paola-Tavares Association
67. Candler-Adamsville-Pompano Association
68. Broward-Basinger Association
69. Broward-Ibsa Association
70. Pamlico-Rex-Bushnell Association
71. Wekiva-Basinger Association
72. Waggett, var. Pompano Association
73. Fort Meade-Bushnell Association
74. Arredondo-Sparr-Kendrick Association
75. Candler Lake Association
76. Wauseta Association
77. Valdarian-Bichon-Flemington Association
78. Pamlico-Rex-Bushnell Association, wet
79. Pamlico-Floridana-Wabasso Association
80. Okeelanta-Anpolis-Terra Ceia Association
81. Hornsassa-Weekiwachee-Lauderhill Association
82. Floridana-Basinger Association
83. Fresh Water Swamp and Marsh Association
84. Fresh Water Swamp and Marsh Association
85. Bichon-Lochloosa-Kendrick Association
86. Pamlico-Bushnell Association
87. Wekiva-Pamello Association

MISSING/LIMP FROM BEST AVAILABLE COPY